

ALPHA-OMEGA SHELVING, INC.

Material Handling Distribution Center - QUICK SHIP PROGRAM

Large Inventory Of

Pallet Rack

- *Ridg-U-Rak**
- *Speedrack Teardrop**

Republic Storage Systems

- *Steel Shelving**
- *Pallet Rack**
- *Lockers**

Wide Span Shelving

- *Ridg-U-Span**

Rousseau

- *Workbenches**
- *Shelving**
- *Modular Drawer System**

Wire Decking

- *New & Used**

Used Material (Large Inventory)

- *Pallet Rack**
- *Lockers**

Rack Accessories

- *Row Spacers**
- *Anchors**
- *Crossbars**
- *Safety Clips**

***Shelving**

Handling Equipment

- *Pallet Jacks**

1-800-222-8846

Fax 412-276-5580

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580
Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

RIDG-U-RAK UPRIGHTS:

High performance Ridg-U-Rak sets the industry standard for rigidity, strength and durability. The slotted upright and beam connection make it the easiest rack to install or to change beam levels.

Rack capacities shown are based on the new RMI (Rack Manufacturers Institute) standards. COLOR: Dark Green
QUICK SHIP F.O.B. Pittsburgh, PA FACTORY F.O.B. Northeast, PA

<u>Part Number</u>	<u>Description</u>	<u>Capacity</u> <u>at 48"</u>	<u>Wt.</u>	<u>Stock</u> <u>Net Price</u>
UFS-32-C-8-21	UPR 8'HX21"D	21,600	47.9	Call or email
UFS-32-C-8-24	UPR 8'HX24"D	21,600	48.3	Call or email
UFS-32-C-8-26	UPR 8'HX26"D	21,600	50.6	Call or email
UFS-32-C-12-30	UPR 12'HX30"D	21,600	74.4	Call or email
UFS-32-C-8-36	UPR 8"HX36"D	21,600	53	Call or email
UFS-32-C-10-36	UPR 10'HX36"D	21,600	64.5	Call or email
UFS-32-C-12-36	UPR 12'HX36"D	21,600	77.6	Call or email
UFS-32-C-14-36	UPR 14'HX36"D	21,600	87.7	Call or email
UFS-32-C-16-36	UPR 16'HX36"D	21,600	102.3	Call or email
UFS-32-C-4-42	UPR 4'HX42"D	21,600	29.9	Call or email
UFS-32-C-8-42	UPR 8'HX42"D	21,600	55.4	Call or email
UFS-32-C-10-42	UPR 10'HX42"D	21,600	67.5	Call or email
UFS-32-C-12-42	UPR 12'HX42"D	21,600	80.9	Call or email
UFS-32-C-14-42	UPR 14'HX42"D	21,600	90.9	Call or email
UFS-32-C-16-42	UPR 16'HX42"D	21,600	106.5	Call or email
UFS-32-C-8-48	UPR 8'HX48"D	21,600	57.9	Call or email
UFS-32-C-10-48	UPR 10'HX48"D	21,600	70.5	Call or email
UFS-32-C-12-48	UPR 12'HX48"D	21,600	84.4	Call or email
UFS-32-C-14-48	UPR 14'HX48"D	21,600	94.2	Call or email
UFS-32-C-16-48	UPR 16'HX48"D	21,600	110.8	Call or email
UFS-32-C-12-52	UPR 12'HX52"D	21,600	87	Call or email
UFS-33-C-12-42	UPR 12'HX42"D	25,600	84.3	Call or email
UFS-33-C-16-42	UPR 16'HX42"D	25,600	111.2	Call or email
UFS-33-C-18-42	UPR 18'HX42"D	25,600	122.5	Call or email
UFS-33-C-20-42	UPR20'HX42"D	25,600	135.3	Call or email

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

Orders received before 2:00PM EST will ship the following day.

RIDG-U-RAK BEAMS:

Color - Orange

<u>Part Number</u>	<u>Description</u>	<u>Capacity</u>	<u>Wt.</u>	<u>Stock</u> <u>Net Price</u>
RBS-32P-2.50-48	Beam 48"Lx2.5"H	5,570	12	Call or email
RBS-32-P-2.50-54	Beam 54"Lx2.5"H	4,800	13.2	Call or email
RBS-32-P-3.00-72	Beam 72"Lx3"H	4,760	18.5	Call or email
RBS-32-P-3.00-96	Beam 96"Lx3"H	2,660	23.8	Call or email
RBS-32-P-3.55-96	Beam 96"Lx3.55"H	4,010	26.1	Call or email
RBS-32-P-4.10-96	Beam 96:Lx4.1"H	5,740	28.3	Call or email
RBS-32-P-4.65-96	Beam 96"Lx4.65"H	7,270	30.5	Call or email
RBS-32-P-5.55-96	Beam 96"Lx5.5"H	9,460	33.6	Call or email
RBS-32-P-4.10-108	Beam 108"Lx4.1"H	4,520	31.5	Call or email
RBS-32-P-4.65-108	Beam 108"Lx4.65"H	6,220	34	Call or email
RBS-32-P-4.65-120	Beam 120"Lx4.65"H	5,020	37.5	Call or email
RBS-32-P-5.55-120	Beam 120"Lx5.55"H	7,530	41.4	Call or email
RBS-32-P-5.55-132	Beam 132"Lx5.55"H	6,310	45.4	Call or email
RBS-32-P-5.55-144	Beam 144"Lx5.55"H	5,290	49.2	Call or email
RBS-32-P-6.00-144	Beam 144"Lx6"H	6,670	52.8	Call or email
RBS-32-P-6.50-156	Beam 156"Lx6.5"H	6,930	61.8	Call or email

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

RIDG-U-RAK ACCESSORIES

24 HOUR SHIP

<u>Part Number</u>	<u>Description</u>	<u>Capacity</u>	<u>Wt.</u>	<u>Stock</u>
<u>CROSS BARS:</u>				
				<u>Net Price</u>
CBF-S-2-36"	CB FLANGE 36" GALV.	1,840	4.8	Call or email
CBF-S-2-42"	CB FLANGE 42" GALV.	1,540	5.5	Call or email
CBF-S-2-48"	CB FLANGE 48" GALV.	1,320	6.3	Call or email
CBN -S-2-36"	CB NON-FLANGE 36" GA	1,840	4.1	Call or email
CBN -S-2-42"	CB NON-FLANGE 42" GA	1,540	4.9	Call or email
CBN -S-2-48"	CB NON-FLANGE 48" GA	1,320	5.6	Call or email

ROW SPACERS:

RS-L-3-6	ROW SPACER 6" GAL	N/A	1.2	Call or email
RS-L-3-8	ROW SPACER 8" GAL	N/A	1.4	Call or email
RS-L-3-10	ROW SPACER 10" GA	N/A	1.7	Call or email
RS-L-3-12	ROW SPACER 12" GA	N/A	1.9	Call or email
RS-L-3-18	ROW SPACER 18" GA	N/A	2.6	Call or email
RS-L-3-24	ROW SPACER 24" GAL	N/A	3.3	Call or email
RS-L-3-48	ROW SPACER 48" GA	N/A	6.2	Call or email

MISCELLANEOUS:

CG-G-S-32-P-12	Post Protector 12" w/Anch	N/A	11.3	Call or email
CG-G-S-32-P-18	Post Protector 18" w/Anch	N/A	15.3	Call or email
SM-S-3.68-6	Shim 5/64"	N/A	0.5	Call or email
SM-H-3.68-6	Shim 1/8"	N/A	0.8	Call or email
WS-1236	Anchor 1/2" x 3-3/4"	N/A	0.2	Call or email
WS-5834	Anchor 5/8" x 3-3/4"	N/A	0.4	Call or email
PP-500	Pinch Pin	N/A	0.1	Call or email
CL-CLIP	Beam Safety Clip	N/A	0.01	Call or email
OS-H-33P-3	Pallet Load Stop Conn. 3"	N/A	2.71	Call or email

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

WIDE SPAN SHELVING

*Compatible with many competitive designs. *All Steel construction with welded "C channel supports and beams with welded three lug hook plates. *Optional locking devices for safety. *Vertically adjustable on 2"C.

*Easy to assemble -- boltless connections. *COLOR: Gray Powder Coat

<u>Part Number</u>	<u>Description</u>	<u>Capacity</u>	<u>Wt.</u>	<u>Stock</u>
<u>RIDG-U-SPAN UPRIGHTS</u>		<u>at 36"</u>		<u>Net Price</u>
WUF-L-17-6-26.25"	6'Hx26.25"D	11,300	21.4	Call or email
WUF-L-17-6-30"	6'Hx30"D	11,300	22.1	Call or email
WUF-L-17-6-36"	6'Hx36"D	11,300	23.2	Call or email
WUF-L-17-6-50.25	6'Hx50.25"D	11,300	25.8	Call or email
WUF-L-17-8-26.25	8'Hx26.25"D	11,300	28.5	Call or email
WUF-L-17-8-36	8'Hx36"D	11,300	30.6	Call or email
WUF-L-17-8-50.25	8'Hx50.25"D	11,300	33.8	Call or email

RIDG-U-SPAN STOCKED BEAMS

WRB-L-325"-48.5"	48.5"Lx3.25"H	3,930	7.4	Call or email
WIB-L-325"-72"	Inv. 72"x3.25"H	2,620	10.4	Call or email
WRB-L-325"-72.5"	72.5"x3.25"H	2,620	10.4	Call or email
WRB-L-325"-96.5"	96.5"Lx3.25"H	1,700	13.5	Call or email

RIDG-U-SPAN STOCKED BRACES

WSS-L-325"-26.25	Lateral Supports 26.2	N/A	2.3	Call or email
WIS-L-325"-30"	Lateral Supports 30"D Inv	N/A	2.6	Call or email
WSS-L-325"-36"	Lateral Supports 36"E	N/A	3.1	Call or email
WSS-L-325"-50.25"	Lateral supports 50.2:	N/A	4.4	Call or email

Supports Required per pair of Beams:

*** 48" Long Beam:**

With Wood Deck = 1

With Steel Deck = 3

*** 72" Long Beam:**

With Wood Deck = 1

With Steel Deck = 3

*** 96" Long Beam:**

With Wood Deck = 2

With Steel Deck = 4

MISCELLANEOUS:

TL-375	Beam Locks	N/A	0.1
MDS-S-30-72	Steel Deck 72"Lx30"	N/A	48.9

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com

Website: www.alphaomegashelving.com

PALLET RACK WIRE DECKING

*Gray Powder Coat

24 HOUR SHIP

Part Number	<u>*Capacity</u>	<u>*Wt.</u>	Stock <u>Net Price</u>
WD-B-36-46 FLARED	2,500		Call or email
WD-B-36-52 FLARED	2,500		Call or email
WD-B-36-58 FLARED	2,500		Call or email
WDA-42-46 STD. CHANN	2,500	20.5	Call or email
WD-B-42-46 FLARED	2,500	21.7	Call or email
WD-B-42-52 FLARED	2,500		Call or email
WD-B-42-58 FLARED	2,500		Call or email
WD-B-48-46 FLARED	2,500	24.8	Call or email
WD-B-48-52 FLARED	2,500		Call or email
WD-B-48-58 FLARED	2,500	28.2	Call or email

***CAPACITIES ARE BASED ON EVENLY DISTRIBUTED LOAD AND THE LOAD RESTING ON BOTH BEAMS.**

SPEEDRACK UPRIGHTS:

* Teardrop - Closed Column Design

Closed Column Design: Any Engineer will confirm the fact that a closed tube column is much stronger than an open Box channel. A closed column also increases torsional resistance more than 200 times over any relative openshape. All speedrack columns, beams, horizontals and diagonals are tubular. That is Strength working for your safety.

<u>Part Number</u>	<u>Description</u>	<u>Capacity</u> <u>at 48"</u>	<u>Wt.</u>	Stock <u>Net Price</u>
UT24096-NDCT	UPR 8'X24"D	20,000	45.5	Call or email
UT36096-NDCT	UPR 8'HX36"D	20,000	46.8	Call or email
UT36120-NDCT	UPR 10'HX36"D	20,000	57.3	Call or email
UT36144-NDCT	UPR 12'HX36"D	20,000	68.7	Call or email
UT36192-NDCT	UPR 16'HX36"D	20,000	91.6	Call or email
UT42096-NDCT	UPR 8'HX42"D	20,000	48.3	Call or email
UT42120-NDCT	UPR 10'HX42"D	20,000	59.2	Call or email
UT42144-NDCT	UPR 12'HX42"D	20,000	70.8	Call or email
UT42168-NDCT	UPR 14'HX42"D	20,000	80.2	Call or email
UT42192-NDCT	UPR 16'HX42"D	20,000	94.1	Call or email
UT42192-NECT	UPR 16'HX42"D	27,800	110.3	Call or email
UT42240-NECT	UPR 20'HX42"D	27,800	134.7	Call or email
UT48096-NDCT	UPR 8'HX48"D	20,000	49.8	Call or email
UT48120-NDCT	UPR 10'HX48"D	20,000	61	Call or email
UT48144-NDCT	UPR 12'HX48"D	20,000	72.9	Call or email
UT48168-NDCT	UPR 14'HX48"D	20,000	82.3	Call or email
UT48192-NDCT	UPR 16'HX48"D	20,000	96.8	Call or email

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com

Website: www.alphaomegashelving.com

SPEEDRACK BEAMS:**Color: Orange**

Alpha-Omega Shelving, Inc. Stocked Speedrack beams are one of the leaders in teardrop connector style pallet rack. Speedrack utilizes minimum 3 pin connectors as a standard, not 2 pin like many other manufacturers. This provides additional strength, safety and resistance to accidental dislodging.

**Safety pins are included in the price of the beam but are shipped loose for field installation.*

<u>Part Number</u>	<u>Description</u>	<u>Capacity</u>	<u>Wt.</u>	<u>Stock</u> <u>Net Price</u>
KT32D-048-BA	Beam 48"Lx3.25"H	6,960	13.9	Call or email
KT32D-072-BA	Beam 72"Lx3.25"H	4,780	18.8	Call or email
KT36D-096-BA	Beam 96"Lx3.75"H	4,290	25.1	Call or email
KT41D-096-BA	Beam 96"Lx4.125"H	5,230	26.8	Call or email
KT52D-096-BA	Beam 96"Lx5.25"H	7,600	30.8	Call or email
KT44D-108-BA	Beam 108"Lx4.5"H	5,380	31.2	Call or email
KT52D-108-BA	Beam 108"Lx5.25"H	6,840	34.2	Call or email
KT44D-120-BA	Beam 120"Lx4.5"H	4,420	34.2	Call or email
KT52D-120-BA	Beam 120"Lx5.25"H	6,220	37.5	Call or email
KT52D-144-BA	Beam 144"Lx5.25"H	4,620	44.2	Call or email
KT60D-144-BA	Beam 144"Lx6"H	6,480	48.2	Call or email
KT60C-144-BA	Beam 144"Lx6"H	7,580	54.4	Call or email

RIDG-U-TIER

RBS-32I-600-144	Beam 144"x6"H	6,670	53	Call or email
RBS-32I-4.1-96	Beam 96"x4.1	5,740	28	Call or email
RBS-32I-4.65-108	Beam 108"x4.65"	6,220	34	Call or email

SPEEDRACK ROW SPACERS, ETC.

FRS-3-8-0	ROW SPACER 8"	N/A	1.7	Call or email
FRS-3-12-0	ROW SPACER 12"	N/A	2	Call or email
1-510	SHIM 3.5"x3.5"x12 GA.	N/A	N/A	Call or email
1001	BEAM CLIP	N/A	N/A	Call or email

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com

Website: www.alphaomegashelving.com

