

ALPHA-OMEGA SHELVING, INC.

Material Handling Distribution Center - QUICK SHIP PROGRAM

*****Visit our Online Catalog on our website for
1,000's Items of Material handling Equipment*****

Large Inventory Of

Revised 02-28-2020

Pallet Rack

- *Ridg-U-Rak**
- *Speedrack Teardrop**

Republic Storage Systems

- *Steel Shelving**
- *Pallet Rack**
- *Lockers**

Handling Equipment

- Pallet jacks**
- Hand Trucks**
- (1)Free stand cranes**
- Dock Equipment**

Wire Decking

- *New & Used**

Rousseau

- *Workbenches**
- *Shelving**
- *Modular Drawer System**

Used Material (Large Inventory)

- *Pallet Rack**
- *Lockers**
- *Shelving**
- *Used Cranes**
- *Used Handling Equipment**
- *Warehouse Equipment**

Rack Accessories

- *Row Spacers**
- *Anchors**
- *Crossbars**
- *Safety Clips**

1-800-222-8846

Fax 412-276-5580

(1) Order to Spec

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580
Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

RIDG-U-RAK UPRIGHTS:

High performance Ridg-U-Rak sets the industry standard for rigidity, strength and durability. The slotted upright and beam connection make it the easiest rack to install or to change beam levels.

Rack capacities shown are based on the new RMI (Rack Manufacturers Institute) standards. COLOR: Dark Green
 QUICK SHIP F.O.B. Pittsburgh, PA FACTORY F.O.B. Northeast, PA

| <u>Part Number</u> | <u>Description</u> | <u>Capacity</u> <u>at 48"</u> | <u>Wt.</u> | <u>Stock</u> <u>Net Price</u> |
|---------------------------|--------------------------------|--|-------------------|--|
| UFS-32-C-8-24 | UPR 8'HX 24 "D | 21,600 | 48.3 | Call or email |
| UFS-32-C-12-30 | UPR 12'HX 30 "D | 21,600 | 74.4 | Call or email |
| UFS-32-C-8-36 | UPR 8"HX 36 "D | 21,600 | 53 | Call or email |
| UFS-32-C-10-36 | UPR 10'HX 36 "D | 21,600 | 64.5 | Call or email |
| UFS-32-C-12-36 | UPR 12'HX 36 "D | 21,600 | 77.6 | Call or email |
| UFS-32-C-16-36 | UPR 16'HX 36 "D | 21,600 | 102.3 | Call or email |
| UFS-32-C-8-42 | UPR 8'HX 42 "D | 21,600 | 55.4 | Call or email |
| UFS-32-C-10-42 | UPR 10'HX 42 "D | 21,600 | 67.5 | Call or email |
| UFS-32-C-14-42 | UPR 14'HX 42 "D | 21,600 | 90.9 | Call or email |
| UFS-32-C-8-48 | UPR 8'HX 48 "D | 21,600 | 57.9 | Call or email |
| UFS-32-C-10-48 | UPR 10'HX 48 "D | 21,600 | 70.5 | Call or email |
| UFS-32-C-12-48 | UPR 12'HX 48 "D | 21,600 | 84.4 | Call or email |
| UFS-32-C-16-48 | UPR 16'HX 48 "D | 21,600 | 110.8 | Call or email |
| UFS-33-C-12-42 | UPR 12'HX 42 "D | 25,600 | 84.3 | Call or email |
| UFS-33-C-16-42 | UPR 16'HX 42 "D | 25,600 | 111.2 | Call or email |
| UFS-33-C-18-42 | UPR 18'HX 42 "D | 25,600 | 122.5 | Call or email |
| UFS-33-C-20-42 | UPR 20 'HX 42 "D | 25,600 | 135.3 | Call or email |

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

Orders received before 2:00PM EST will ship the following day.

RIDG-U-RAK BEAMS:

Color - Orange

| <u>Part Number</u> | <u>Description</u> | <u>Capacity</u> | <u>Wt.</u> | <u>Stock</u> <u>Net Price</u> |
|---------------------------|---------------------------|------------------------|-------------------|--|
| RBS32P-2.50-48 | Beam 48"Lx2.5"H | 5,570 | 12 | Call or email |
| RBS32P-3.00-72 | Beam 72"Lx3"H | 4,760 | 18.5 | Call or email |
| RBS32P-3.00-96 | Beam 96"Lx3"H | 2,660 | 23.8 | Call or email |
| RBS32P-3.55-96 | Beam 96"Lx3.55"H | 4,010 | 26.1 | Call or email |
| RBS32P-4.10-96 | Beam 96:Lx4.1"H | 5,740 | 28.3 | Call or email |
| RBS32P-4.65-96 | Beam 96"Lx4.65"H | 7,270 | 30.5 | Call or email |
| RBS32P-5.50-96 | Beam 96"Lx5.5"H | 9,460 | 33.6 | Call or email |
| RBS32P-4.10-108 | Beam 108"Lx4.1"H | 4,520 | 31.5 | Call or email |
| RBS32P-4.65-108 | Beam 108"Lx4.65"H | 6,220 | 34 | Call or email |
| RBS32P-4.65-120 | Beam 120"Lx4.65"H | 5,020 | 37.5 | Call or email |
| RBS32P-5.50-120 | Beam 120"Lx5.55"H | 7,530 | 41.4 | Call or email |
| RBS32P-5.50-132 | Beam 132"Lx5.55"H | 6,310 | 45.4 | Call or email |
| RBS32P-5.50-144 | Beam 144"Lx5.55"H | 5,290 | 49.2 | Call or email |
| RBS32P-6.00-144 | Beam 144"Lx6"H | 6,670 | 52.8 | Call or email |
| RBS32P-6.50-156 | Beam 156"Lx6.5"H | 6,930 | 61.8 | Call or email |

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

RIDG-U-RAK ACCESSORIES

24 HOUR SHIP

| <u>Part Number</u> | <u>Description</u> | <u>Capacity</u> | <u>Wt.</u> | <u>Stock</u> |
|---------------------------|-------------------------|-----------------|------------|------------------|
| <u>CROSS BARS:</u> | | | | |
| | | | | <u>Net Price</u> |
| CBFS-2-36" | CB FLANGE 36" GALV. | 1,840 | 4.8 | Call or email |
| CBFS-2-42" | CB FLANGE 42" GALV. | 1,540 | 5.5 | Call or email |
| CBFS-2-48" | CB FLANGE 48" GALV. | 1,320 | 6.3 | Call or email |
| CBNS-2-36" | CB NON-FLANGE 36" GALV. | 1,840 | 4.1 | Call or email |
| CBNS-2-42" | CB NON-FLANGE 42" GALV. | 1,540 | 4.9 | Call or email |
| CBNS-2-48" | CB NON-FLANGE 48" GALV. | 1,320 | 5.6 | Call or email |

ROW SPACERS:

| | | | | |
|----------|----------------------|-----|-----|---------------|
| RSL-3-6 | ROW SPACER 6" GALV. | N/A | 1.2 | Call or email |
| RSL-3-8 | ROW SPACER 8" GALV. | N/A | 1.4 | Call or email |
| RSL-3-10 | ROW SPACER 10" GALV. | N/A | 1.7 | Call or email |
| RSL-3-12 | ROW SPACER 12" GALV. | N/A | 1.9 | Call or email |
| RSL-3-18 | ROW SPACER 18" GALV. | N/A | 2.6 | Call or email |
| RSL-3-24 | ROW SPACER 24" GALV. | N/A | 3.3 | Call or email |
| RSL-3-48 | ROW SPACER 48" GALV. | N/A | 6.2 | Call or email |

MISCELLANEOUS:

| | | | | |
|-----------------|------------------------------|-----|------|---------------|
| CG-G-S-32-P-12 | Post Protector 12" w/Anchors | N/A | 11.3 | Call or email |
| CG-G-S-32-P-18 | Post Protector 18" w/Anchors | N/A | 15.3 | Call or email |
| RAMGUARD | 12" Column Guard | N/A | 12 | Call or email |
| RAMGUARD-A | Adapter for 3"x1-5/8" column | N/A | 0.2 | Call or email |
| SM-S-3.37-04.75 | Shim 5/64" | N/A | 0.5 | Call or email |
| WS 375-12 | Anchor 1/2" x 3-3/4" | N/A | 0.2 | Call or email |
| WS 375-58 | Anchor 5/8" x 3-3/4" | N/A | 0.4 | Call or email |
| PP-500 | Pinch Pin | N/A | 0.1 | Call or email |
| CL-CLIP | Beam Safety Clip | N/A | 0.01 | Call or email |
| OS-H-33P-3 | Pallet Load Stop Conn. 3" | N/A | 2.71 | Call or email |
| 84849 | Safety "J" pin RUR | N/A | 0.1 | Call or email |

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com Website: www.alphaomegashelving.com

PALLET RACK WIRE DECKING

*Gray Powder Coat

24 HOUR SHIP

| <u>Part Number</u> | <u>*Capacity</u> | <u>*Wt.</u> | <u>Stock</u> |
|--------------------|------------------|-------------|------------------|
| | | | <u>Net Price</u> |
| WD-A-2446 CHANNEL | 2,500 | 12 | Call or email |
| WD-A-3646 CHANNEL | 2,500 | 18 | Call or email |
| WD-A-3652 CHANNEL | 2,500 | 19.5 | Call or email |
| WD-A-3658 CHANNEL | 2,500 | 23 | Call or email |
| WD-A-4246 CHANNEL | 2,500 | 20.5 | Call or email |
| WD-A-4252 CHANNEL | 2,500 | 22 | Call or email |
| WD-A-4258 CHANNEL | 2,500 | 23.5 | Call or email |
| WD-A-4846 CHANNEL | 2,500 | 24 | Call or email |
| WD-A-4852 CHANNEL | 2,500 | 26 | Call or email |
| WD-A-4858 CHANNEL | 2,500 | 30.5 | Call or email |

***CAPACITIES ARE BASED ON EVENLY DISTRIBUTED LOAD AND THE LOAD RESTING ON BOTH BEAMS.**

SPEEDRACK UPRIGHTS:

* Teardrop - Closed Column Design

COLOR: GREEN

Closed Column Design: Any Engineer will confirm the fact that a closed tube column is much stronger than an open Box channel. A closed column also increases torsional resistance more than 200 times over any relative openshape. All speedrack columns, beams, horizontals and diagonals are tubular. That is Strength working for your safety.

| <u>Part Number</u> | <u>Description</u> | <u>Capacity</u> | <u>Wt.</u> | <u>Stock</u> |
|--------------------|--------------------|-----------------|------------|------------------|
| | | <u>at 48"</u> | | <u>Net Price</u> |
| UT24072-NDCT | UPR 6'HX24"D | 20,900 | 34 | Call or email |
| UT24096-NDCT | UPR 8'HX24"D | 20,900 | 45.5 | Call or email |
| UT24120-NDCT | UPR 10'HX24"D | 20,900 | 52.7 | Call or email |
| UT36096-NDCT | UPR 8'HX36"D | 20,900 | 46.8 | Call or email |
| UT36120-NDCT | UPR 10'HX36"D | 20,900 | 57.3 | Call or email |
| UT36144-NDCT | UPR 12'HX36"D | 20,900 | 68.7 | Call or email |
| UT36168-NDCT | UPR 14'HX36"D | 20,900 | 78.2 | Call or email |
| UT36192-NDCT | UPR 16'HX36"D | 20,900 | 91.6 | Call or email |
| UT42096-NDCT | UPR 8'HX42"D | 20,900 | 48.3 | Call or email |
| UT42120-NDCT | UPR 10'HX42"D | 20,900 | 59.2 | Call or email |
| UT42144-NDCT | UPR 12'HX42"D | 20,900 | 70.8 | Call or email |
| UT42144-NHCT | UPR 12'HX42"D | 30,600 | 82.9 | Call or email |
| UT42168-NDCT | UPR 14'HX42"D | 20,900 | 80.2 | Call or email |
| UT42192-NDCT | UPR 16'HX42"D | 20,900 | 94.1 | Call or email |
| UT42192-NHCT | UPR 16'HX42"D | 30,600 | 110.3 | Call or email |
| UT42240-NHCT | UPR 20'HX42"D | 30,600 | 134.7 | Call or email |
| UT48096-NDCT | UPR 8'HX48"D | 20,900 | 49.8 | Call or email |
| UT48120-NDCT | UPR 10'HX48"D | 20,900 | 61 | Call or email |
| UT48144-NDCT | UPR 12'HX48"D | 20,900 | 72.9 | Call or email |
| UT48168-NDCT | UPR 14'HX48"D | 20,900 | 82.3 | Call or email |
| UT48192-NDCT | UPR 16'HX48"D | 20,900 | 96.8 | Call or email |
| UT48192-NHCT | UPR 16'HX48"D | 30,600 | 114 | Call or email |
| UT48240-NHCT | UPR 20'HX48"D | 30,600 | 137.5 | Call or email |

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com

Website: www.alphaomegashelving.com

SPEEDRACK BEAMS:

Color: Orange

Alpha-Omega Shelving, Inc. Stocked Speedrack beams are one of the leaders in teardrop connector style pallet rack. Speedrack utilizes minimum 3 pin connectors as a standard, not 2 pin like many other manufacturers. This provides additional strength, safety and resistance to accidental dislodging.

****Safety pins are included in the price of the beam but are shipped loose for field installation .***

| <u>Part Number</u> | <u>Description</u> | <u>Capacity</u> | <u>Wt.</u> | <u>Stock</u> |
|---------------------------|---------------------------|------------------------|-------------------|---------------------|
| KT32D-048-AA | Beam 48"Lx3.25"H | 6,960 | 13.9 | Call or email |
| KT32D-060-AA | Beam 60"Lx3.25"H | 5,640 | 16.3 | Call or email |
| KT32D-072-AA | Beam 72"Lx3.25"H | 4,780 | 18.8 | Call or email |
| KT32D-096-AA | Beam 96"Lx3.25"H | 3,040 | 23.7 | Call or email |
| KT36D-096-AA | Beam 96"Lx3.75"H | 4,290 | 25.1 | Call or email |
| KT41D-096-AA | Beam 96"Lx4.125"H | 5,230 | 26.8 | Call or email |
| KT52D-096-AA | Beam 96"Lx5.25"H | 7,600 | 30.8 | Call or email |
| KT44D-108-AA | Beam 108"Lx4.5"H | 5,380 | 31.2 | Call or email |
| KT52D-108-AA | Beam 108"Lx5.25"H | 6,840 | 34.2 | Call or email |
| KT44D-120-AA | Beam 120"Lx4.5"H | 4,420 | 34.2 | Call or email |
| KT52D-120-AA | Beam 120"Lx5.25"H | 6,220 | 37.5 | Call or email |
| KT52D-144-AA | Beam 144"Lx5.25"H | 4,620 | 44.2 | Call or email |
| KT60D-144-AA | Beam 144"Lx6"H | 6,480 | 48.2 | Call or email |
| KT60C-144-AA | Beam 144"Lx6"H | 7,580 | 54.4 | Call or email |

SPEEDRACK ROW SPACERS, ETC.

| | | | | |
|--------------|-----------------------|-----|-----|---------------|
| AFRS-3-8-0 | ROW SPACER 8" | N/A | 1.7 | Call or email |
| AFRS-3-10-0 | ROW SPACER 10" | N/A | 1.9 | Call or email |
| AFRS-3-12-0 | ROW SPACER 12" | N/A | 2 | Call or email |
| H510 | SHIM 3.5"x3.5"x12 GA. | N/A | N/A | Call or email |
| H001 | BEAM CLIP | N/A | N/A | Call or email |
| BP2-34-50-13 | SHIM 3.5"x 5"x12 GA. | N/A | 0.7 | Call or email |

CONTACT ALPHA-OMEGA @ 1-800-222-8846 * FAX 412-276-5580

Email: bbonifield@alphaomegashelving.com

Website: www.alphaomegashelving.com